

FOGGER CATALOGUE

OUR SOLUTIONS FOR CROP PROTECTION, DISINFECTION, SPROUT INHIBITION & FOOD SAFETY

www.veugentech.com



CROP PROTECTION



POWERFOG TB60

The Powerfog TB60 Double combines big fog capacity with quality droplet size. **This electrical ULV fogger can treat 2 hectares in 2 hours**, giving the complete greenhouse a uniform fog with great results.

The best coverage & Labour-saving.



Successfully tested with biological agents



HALOFOG 900

The Halofog 900 is suited for fogging temperature sensitive crop protection solutions as well as strongly corrosive disinfectants. Due to the use of compressed air, the Halofog is very reliable and maintenance friendly.



K40

With a capacity of 120 l/h, large areas can be fogged in a very short time. By power, its capacity is paired with a uniform fine mist that can be spread over a length of 120m.



POWERFOG TB100

The powerhouse in the Powerfogger brand. The proven technique of the vacuum pump is combined with an enormously powerful fan that can move fine mist over a length of more than 100 metres.





DISINFECTION

TURBOFOG

An electric fogging device. Thanks to its handy size and complete equipment in stainless steel and Viton, it can be used with practically all liquids and in all conditions. Even in confined spaces.



-  1 - 20 l/h
-  6 l
-  Portable

POWERFOG 100

The powerhouse in the Powerfogger brand. The proven technique of the vacuum pump is combined with an enormously powerful fan that can move fine mist over a length of more than 100 metres.



-  40 l/h
-  150 m
-  100 l

POWERFOG P60

Designed for fogging disinfectants, pest control or probiotics in small compartments. The air pump distributes mist over several compartments.

NEWEST INNOVATION: REMOVABLE NOZZLE




-  20 l/h
-  30 m
-  60 l

HALOFOG 400

The Halofog 400 is an integrated electrical ULV fogging system for disinfecting trailers with the push of a button. The nozzle uses the available compressed air to create a dry fog inside of the trailer.



-  40 m³ can be fogged in 10 minutes



SPROUT CONTROL

SYNOFOG

Specially designed for atomising germicides. Due to the innovative design of the heating chamber and liquid injection, the energy used is efficiently converted to fogging capacity.

POWERLIMIT: Allows setting a maximum power consumption. Treatment can thus be carried out in storage areas with a small power supply.

IMPELLER HEAD: Significant improvements for the Synofog; a backplate with integrated impeller head.



10 – 30 l/h



1 µm



> 1000



FOOD SAFETY

HALOFOG 800

We proudly present the Halofog 800 fogging system – an advanced and custom made solution for effective and efficient disinfection of process areas.

BENEFITS OF THE HALOFOG 800

- ☑ Increased Food Safety
- ☑ Reduction of Operational Costs
- ☑ Compliance with industry standards



LEGEND



Capacity



Droplet size



Power



Tonnage



Air throw



Tank size



Mobility

HOW OUR FOGGING EQUIPMENT CAN SUPPORT YOU?

Get in touch with us. We are happy to think along with you!

VEUGEN TECHNOLOGY

Platinastraat 9, 6031 TW Nederweert, The Netherlands

T +31(0)495 - 460188 E info@veugentech.com www.veugentech.com

*Depending on the (possible) options on your device, your product may look different from the images in this flyer.